

HS-RADIATOR-MH2

Introduction

This product is a SSD radiator. The main body is made of aluminum alloy with fin design. When the SSD is installed in the radiator, it can effectively transfer the heat generated by the main controller, particles and other devices when the SSD is working at high speed to the radiator through the silicone thermal pad, thus effectively increasing the heat dissipation area, speeding up the heat dissipation, and avoiding the speed reduction problem caused by the high temperature of the SSD. This product is compatible with M.2 2280 SSD.



Features

Efficient heat dissipation, stable and durable

Made of aluminum alloy, it can dissipate heat rapidly and maintain the high-speed operation of the hard disk. The shell of heat dissipation vest is treated by sandblasting, and oxidation, with fine texture, anti-corrosion and rust prevention, and is not easy to get dirty.

Scientific appearance

Scientific and technological mecha structure, fin design, breathable and heat dissipation, improve the appearance.

Convenient installation

Humanized and convenient installation design, easy to understand installation instructions.

Wide compatibility

This product is compatible with M.2 2280 SSD for all brands.

Ordering Information

Model
HS-RADIATOR-MH2



Please contact the local sales for detailed model information.





Specification

| Product model | HS-RADIATOR-MH2 |
|--------------------------------|------------------|
| Compatible SSD board type | 22*80mm(H:2~4mm) |
| Main material | aluminium alloy |
| Effectively reduce temperature | ≤20°C |
| Support platform | Desktop,PS5 etc |
| size | 68*23.2*9mm |
| weight | 28.8g |
| defects liability period | 3 years |



1. Effective temperature reduction refers to the difference between the temperature controlled by SSD when SSD radiator is used and the temperature controlled by by SSD when SSD radiator is not used. The test system is based on specific computer systems, hardware, software, operating systems and functions. The actual cooling effect is affected by factors such as the host air duct and the host fan power.





Revision History

| Version | Description | Date |
|---------|-----------------|----------|
| V1.0.0 | HS-RADIATOR-MH2 | 20230908 |

Data subject to change without notice.

© 2023 HANGZHOU HIKSTORAGE TECHNOLOGY CO.,LTD. All rights reserved.

Unless otherwise expressly stated herein, HIKSTORAGE does not make any warranties, guarantees or representations, express or implied, regarding to the Manual, any information contained herein.

The Manual includes instructions for using and managing the Product. Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Manual is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version of this Manual at the HIKSTORAGE website (www.hiksemitech.com).

